

SPECIFICATION SHEET | 2018



TIRE SIZE, LOAD / SPEED, TUBETYPE	PROFILE	MAX LOAD LBS (KG)	SPEED RATING MPH (KM /H)	MAX AIR PRES-SURE LBS (BAR)	MIN. WIDTH INCH (MM)	MIN. DIAM. INCH (MM)	MAX. WIDTH. INCH (MM)	MAX. DIAM. INCH (MM)	CIRCUMFERENCE + / - 2% INCHES (MM)	RIM WIDTH, AND PERMISSIBLE RIM WIDTHS IN INCHES	TUBE SIZE
STREET TIRES 15 IN. STREET TIRES											
130/90 - 15 M/C 66S TT/TL	K65	661 (300)	112 (300)	36 (2.5)	5.08 (129)	24.21 (615)	5.59 (142)	24.84 (631)	73.11 (1857)	3.00 , 2.50 - 3.50	15 / 16 F
140/90 - 15 M/C 70H TL	K65	739 (335)	130 (209)	36 (2.5)	5.59 (142)	24.92 (633)	6.14 (156)	25.63 (651)	75.28 (1912)	3.50, 2.75 - 3.75	15 / 16 F
150/90 - 15 M/C 74H TL	K65	827 (375)	130 (209)	36 (2.5)	5.91 (150)	25.63 (651)	6.50 (165)	26.34 (665)	77.40 (1966)	3.50, 3.00 - 4.25	15 / 16 F
170/80 - 15 M/C 77H TL	K65	908 (653)	130 (209)	36 (2.5)	6.69 (170)	25.71 (653)	7.36 (187)	26.50 (673)	77.64 (1972)	4.00 , 3.50 - 4.50	15 / G / H
16 IN. STREET TIRES											
2.50 - 16 M/C 41J TT REINF.	K36 / 1	320 (145)	62 (100)	36 (2.5)	2.52 (64)	21.34 (542)	2.76 (70)	21.81 (554)	64.45 (1637)	1.50, 1.35 - 1.60	16C
2.75 - 16 M/C 46P TT REINF.	K35, K43, K55	375 (170)	93 (150)	41 (2.8)	2.95 (75)	22.13 (562)	3.19 (81)	22.60 (574)	66.73 (1695)	1.85, 1.50 - 1.60	16C / D
3.00 - 16 M/C 48P TT REINF.	K31	397 (180)	93 (150)	41 (2.8)	3.15 (80)	22.68 (576)	3.39 (86)	23.15 (558)	68.39 (1737)	1.85, 1.60 - 2.15	16D
3.25 - 16 M/C 55P TT REINF.	K33, K36	481 (218)	93 (150)	41 (2.8)	3.50 (89)	23.15 (588)	3.78 (96)	23.62 (600)	69.80 (1773)	2.15, 1.85 - 2.50	16D / E
3.50 - 16 M/C 60P TT SIDECAR	K29	551 (250)	93 (150)	41 (2.8)	3.66 (93)	23.54 (598)	3.94 (100)	24.09 (612)	71.02 (1804)	2.15, 1.85 - 2.50	16D / E
3.50 - 16 M/C 58P TT REINF.	K33	520 (236)	93 (150)	41 (2.8)	3.66 (93)	23.54 (598)	3.94 (100)	24.09 (612)	71.02 (1804)	2.15, 1.85 - 2.50	16D / E
100/90 - 16 54H TL	K65	467 (212)	130 (209)	36 (2.5)	3.98 (101)	23.07 (586)	4.37 (111)	23.54 (598)	69.69 (1770)	2.50, 2.15 - 3.00	16D / E
110/90 - 16 M/C 59S TT/TL	K36	536 (243)	112 (180)	36 (2.5)	4.29 (109)	23.78 (604)	4.72 (120)	24.33 (618)	71.81 (1824)	2.50, 2.15 - 3.00	16D / E
120/90 - 16 M/C 63H TL	K65	600 (272)	130 (209)	36 (2.5)	4.69 (119)	24.49 (622)	5.16 (131)	25.12 (638)	73.94 (1878)	2.75, 2.50 - 3.00	16E
110/80 - 16 M/C 55S TT/TL	K36, K55	481 (218)	112 (180)	36 (2.5)	4.29 (109)	22.91 (582)	4.72 (120)	23.39 (594)	69.21 (1758)	2.50, 2.15 - 3.00	16D / E
120/80 - 16 M/C 60S TL	K66	551 (250)	112 (180)	36 (2.5)	4.69 (119)	23.54 (598)	5.16 (131)	24.09 (612)	71.10 (1806)	2.75, 2.50 - 3.00	16E
130/90 B 16 M/C 73H TL	K65	805 (365)	130 (209)	41 (2.8)	5.08 (129)	25.20 (640)	5.59 (142)	25.83 (656)	76.10 (1933)	3.00, 2.50 - 3.50	15 / 16 F
140/90 B 16 M/C 77H TL REINF.	K65	853 (412)	130 (209)	41 (2.8)	5.59 (142)	25.91 (658)	6.14 (156)	26.61 (676)	78.23 (1987)	3.00, 2.75 - 3.75	16E
150/80 B 16 M/C 71H TL	K65	761 (345)	130 (209)	36 (2.5)	5.91 (150)	25.43 (646)	6.50 (165)	26.06 (662)	76.81 (1951)	3.50, 3.00 - 4.25	16E
17 IN. STREET TIRES											
2.50 - 17 M/C 43J TT REINF.	K36 / 1, K56	342 (155)	62 (100)	41 (2.8)	2.52 (64)	22.36 (568)	2.76 (70)	22.83 (580)	67.43 (1713)	1.50, 1.35 - 1.60	17C / D
2.75 - 17 M/C 47P TT REINF.	K36 / 1, K56, K58	386 (175)	93 (150)	41 (2.8)	2.95 (75)	23.15 (588)	3.19 (81)	23.62 (600)	69.80 (1773)	1.85, 1.50 - 2.15	17D
3.00 - 17 M/C 50P TL REINF.	K58	419 (190)	93 (150)	41 (2.8)	3.15 (80)	23.70 (602)	3.39 (86)	24.17 (614)	71.50 (1816)	1.85, 1.60 - 2.15	17D
70 / 100 - 17 M/C 40P	K66	309 (140)	93 (150)	36 (2.5)	2.72 (69)	22.52 (572)	2.99 (76)	22.91 (582)	67.99 (1727)	1.60, 1.40 - 1.85	17C / D
80/100 - 17 M/C 53S TT REINF.	K66, K80	454 (206)	112 (180)	41 (2.8)	3.15 (80)	23.31 (592)	3.46 (88)	23.78 (604)	70.39 (1788)	1.85, 1.60 - 2.15	17D
80/90 - 17 M/C 50S TT/TL	K66 , K80	419 (190)	112 (180)	41 (2.8)	3.15 (80)	22.68 (576)	3.46 (88)	23.07 (586)	68.50 (1740)	1.85, 1.60 - 2.15	17D
90/90 - 17 M/C 49S TT	K63	408 (185)	112 (180)	36 (2.5)	3.54 (90)	23.39 (594)	3.90 (99)	23.82 (605)	70.63 (1794)	2.15, 1.85 - 2.50	17D
100/90 - 17 M/C 55H TL	K63, K66, K80	481 (218)	130 (210)	36 (2.5)	3.98 (101)	24.09 (612)	4.37 (111)	26.57 (624)	72.76 (1848)	2.50, 2.15 - 2.75	17E
100/80 - 17 M/C 52H TL	K63, K66, K80	441 (200)	130 (210)	36 (2.5)	3.98 (101)	23.31 (592)	4.37 (111)	23.78 (604)	70.39 (1788)	2.50, 2.15 - 2.75	17E
110/80 - 17 M/C 57H TL	K63, K80	507 (230)	130 (210)	36 (2.5)	4.29 (109)	23.94 (608)	4.72 (120)	24.41 (620)	72.28 (1836)	2.50, 2.15 - 2.75	17E
130 / 80 - 17 M/C 65H TL	K64, K76	639 (290)	130 (210)	36 (2.5)	5.08 (129)	25.20 (640)	5.59 (142)	25.75 (654)	76.10 (1933)	3.00, 2.50 - 3.50	17F
110 / 70 - 17 M/C 54H TL	K66, K68, K80	467 (212)	130 (210)	36 (2.5)	4.33 (110)	23.07 (586)	4.76 (121)	23.46 (596)	69.68 (1770)	3.00, 2.50 - 3.50	17E
120 / 70 - 17 M/C 58H TL	K73, K80	520 (236)	130 (210)	36 (2.5)	4.80 (122)	23.62 (600)	5.28 (134)	24.09 (612)	71.34 (1812)	3.50, 2.75 - 3.75	17E
130 / 70 - 17 M/C 62H TL	K66, K80	584 (265)	130 (210)	44 (3.0)	5.08 (129)	24.17 (614)	5.59 (142)	24.65 (626)	72.99 (1854)	3.50, 3.00 - 4.00	17F
140 / 70 - 17 M/C 66H TL	K66, K80	661 (300)	130 (210)	44 (3.0)	5.47 (139)	24.72 (628)	6.02 (153)	25.28 (642)	74.69 (1897)	3.75, 3.50 - 4.50	17F
150 / 70 B 17 M/C 69H TL	K68, K76	716 (325)	130 (210)	44 (3.0)	5.94 (151)	25.28 (642)	6.54 (166)	25.83 (656)	76.34 (1939)	4.25, 3.50 - 4.50	17F
130 / 60 - 17 M/C 59H TL	K68	536 (243)	130 (210)	36 (2.5)	5.08 (129)	23.15 (588)	5.59 (142)	23.54 (598)	69.92 (1776)	3.50, 2.75 - 4.00	17E
150 / 60 - 17 M/C 66H TL	K66, K80	661 (300)	130 (209)	44 (3.0)	5.94 (151)	24.09 (612)	6.42 (163)	24.57 (624)	72.76 (1848)	4.25, 3.50 - 4.50	17F
160 / 60 - 17 M/C 69H TL	K73, K80	717 (325)	130 (209)	44 (3.0)	6.34 (161)	24.57 (624)	6.97 (177)	25.12 (638)	74.72 (1898)	4.50, 4.00 - 5.00	17F
18 IN. STREET TIRES											
2.00 - 18 M/C 26H TT	M3, K40	209 (95)	130 (210)	44 (3.0)	2.05 (52)	22.32 (567)	2.36 (60)	22.80 (579)	67.40 (1712)	1.20 - 1.35	18C
2.25 - 18 M/C 34H TT	M3, K40	260 (118)	130 (210)	44 (3.0)	2.40 (61)	22.87 (581)	2.76 (70)	23.35 (593)	69.09 (1755)	1.60, 1.50 - 1.85	18C
2.50 - 18 M/C 45H TT	K40	364 (165)	130 (210)	41 (2.8)	2.56 (65)	23.35 (593)	2.83 (72)	23.90 (607)	70.51 (1791)	1.50, 1.35 - 1.85	18C
2.50 - 18 M/C 45S TT	K40	364 (165)	112 (180)	41 (2.8)	2.56 (65)	23.35 (593)	2.83 (72)	23.90 (607)	70.51 (1791)	1.50, 1.35 - 1.85	18C
2.75 - 18 M/C 48P TT	K39	330 (150)	93 (150)	36 (2.5)	2.95 (75)	24.13 (613)	3.19 (81)	24.61 (625)	72.80 (1849)	1.60, 1.50 - 1.85	18C

SPECIFICATION SHEET | 2018



TIRE SIZE, LOAD / SPEED, TUBETYPE	PROFILE	MAX LOAD LBS (KG)	SPEED RATING MPH (KM /H)	MAX AIR PRESSURE LBS (BAR)	MIN. WIDTH INCH (MM)	MIN. DIAM. INCH (MM)	MAX. WIDTH. INCH (MM)	MAX. DIAM. INCH (MM)	CIRCUMFERENCE + / - 2% INCHES (MM)	RIM WIDTH, AND PERMISSIBLE RIM WIDTHS IN INCHES	TUBE SIZE
STREET TIRES 18 IN. STREET TIRES											
2.75 - 18 M/C 42S TL	K45	331 (150)	112 (180)	36 (2.5)	2.95 (75)	24.13 (613)	3.19 (81)	24.61 (625)	72.80 (1849)	1.60, 1.50 - 1.85	18C
3.00 - 18 M/C 52S TT REINF.	K33	441 (200)	112 (180)	41 (2.8)	3.15 (80)	24.68 (627)	3.39 (86)	25.16 (639)	74.45 (1891)	1.85, 1.60 - 2.15	18C / D
3.00 - 18 M/C 47S TT	K65	386 (175)	112 (180)	36 (2.5)	3.15 (80)	24.68 (627)	3.39 (86)	25.16 (639)	74.45 (1891)	1.85, 1.60 - 2.15	18C / D
3.25 - 18 M/C 52S TT	K34	441 (200)	112 (180)	36 (2.5)	3.50 (89)	25.16 (639)	3.78 (96)	25.63 (651)	75.87 (1927)	2.15, 1.85 - 2.50	18D / E
3.50 - 18 M/C 62S TT REINF.	K34	584 (265)	112 (180)	41 (2.8)	3.66 (93)	25.55 (649)	3.94 (100)	26.10 (663)	77.05 (1957)	2.15, 1.85 - 2.50	18E
3.50 - 18 M/C 62S TT REINF.	K36	584 (265)	112 (180)	41 (2.8)	3.66 (93)	25.55 (649)	3.94 (100)	26.10 (663)	77.05 (1957)	2.15, 1.85 - 2.50	18E
3.50 - 18 M/C 56H TT	K65	494 (224)	130 (210)	36 (2.5)	3.66 (93)	25.55 (649)	3.94 (100)	26.10 (663)	77.05 (1957)	2.15, 1.85 - 2.50	18E
3.60 - 18 M/C 51H TL	K44	430 (195)	130 (210)	36 (2.5)	4.25 (108)	24.21 (615)	3.94 (100)	24.72 (628)	73.11 (1857)	2.15, 1.85 - 2.50	18D
4.00 - 18 M/C 70P TT REINF.	K28	736 (335)	93 (150)	41 (2.8)	4.25 (108)	26.42 (671)	4.25 (108)	26.97 (685)	79.69 (2024)	2.50, 2.15 - 3.00	18F
4.00 - 18 M/C 64H TT	K34	617 (280)	130 (210)	36 (2.5)	4.25 (108)	26.42 (671)	4.61 (117)	26.97 (685)	79.69 (2024)	2.50, 2.15 - 3.00	18F
4.00 - 18 M/C 64H TL	K36, K65	617 (280)	130 (210)	36 (2.5)	4.25 (108)	26.42 (671)	4.61 (117)	26.97 (685)	79.69 (2024)	2.50, 2.15 - 3.00	18F
4.10 - 18 M/C 60S TT	K36	551 (250)	112 (180)	36 (2.5)	4.25 (108)	25.24 (641)	4.61 (117)	25.71 (653)	76.10 (1933)	2.50, 2.15 - 3.00	18E
4.10 - 18 M/C 60H TL	K65	551 (250)	130 (210)	36 (2.5)	4.25 (108)	25.24 (641)	4.69 (119)	25.71 (653)	76.10 (1933)	2.50, 2.15 - 3.00	18E
90 / 90 - 18 M/C 51S TL	K44	430 (195)	112 (180)	36 (2.5)	3.54 (90)	24.37 (619)	4.69 (119)	24.84 (631)	73.58 (1869)	2.15, 1.85 - 2.50	18D
90 / 90 - 18 M/C 51H TL	K44	430 (195)	130 (210)	36 (2.5)	3.54 (90)	24.37 (619)	3.90 (99)	24.84 (631)	73.58 (1869)	2.15, 1.85 - 2.50	18D
90 / 90 - 18 M/C 57H TL	K66, K80	507 (230)	131 (210)	37 (2.5)	3.54 (90)	24.37 (619)	3.90 (99)	24.84 (631)	73.58 (1869)	2.15, 1.85 - 2.50	18D
100 / 90 - 18 M/C 56H TL	K65	494 (224)	130 (210)	36 (2.5)	3.98 (101)	25.08 (637)	4.37 (111)	25.55 (649)	75.75 (1924)	2.50, 2.15 - 2.75	18E
110 / 90 - 18 M/C 61H TL	K65	567 (257)	130 (210)	36 (2.5)	4.29 (109)	25.79 (655)	4.72 (120)	26.34 (669)	77.87 (1978)	2.50, 2.15 - 2.75	18E
120 / 90 - 18 M/C 71H TL REINF.	K65	761 (345)	130 (210)	40 (2.8)	4.29 (109)	26.50 (673)	5.16 (131)	27.13 (689)	80.00 (2032)	2.75, 2.50 - 3.00	18F
110 / 80 - 18 M/C 60S TT	K36	551 (250)	112 (180)	36 (2.5)	4.69 (119)	24.92 (633)	4.72 (120)	25.39 (645)	75.28 (1912)	2.50, 2.15 - 3.00	18E
110 / 80 - 18 M/C 60H TL	K65	551 (250)	130 (210)	36 (2.5)	4.29 (109)	24.92 (633)	4.72 (120)	25.39 (645)	75.28 (1912)	2.50, 2.15 - 3.00	18E
130 / 70 - 18 M/C 63H TL	K64	600 (272)	130 (210)	36 (2.5)	5.08 (129)	25.16 (639)	5.59 (142)	25.63 (651)	75.98 (1930)	3.50, 3.00 - 4.00	18E
19 IN. STREET TIRES											
2.75 - 19 M/C 47S TT	K34	386 (175)	112 (180)	36 (2.5)	2.95 (75)	25.16 (639)	3.39 (86)	25.63 (651)	75.98 (1930)	1.60, 1.50 - 1.85	19C
3.00 - 19 M/C 49S TT	K34, K65	408 (185)	112 (180)	36 (2.5)	3.15 (80)	25.71 (653)	3.39 (86)	26.18 (665)	77.64 (1972)	1.85, 1.60 - 2.15	19D
3.25 - 19 M/C 54H TT / TL	K34, K44, K65	467 (212)	130 (210)	36 (2.5)	3.50 (89)	26.18 (665)	3.78 (96)	26.65 (677)	78.98 (2006)	2.15, 1.85 - 2.50	19E
3.50 - 19 M/C 57H TT	K34	507 (230)	130 (210)	36 (2.5)	3.66 (93)	26.57 (675)	3.94 (100)	27.13 (689)	80.28 (2039)	2.15, 1.85 - 2.50	19E
4.00 - 19 M/C 71P TT	K28	761 (345)	93 (150)	41 (2.8)	4.25 (108)	27.43 (697)	4.88 (124)	28.15 (715)	82.48 (2095)	2.50, 2.15 - 3.00	19E
4.00 - 19 M/C 64H TT	K34	617 (280)	130 (210)	36 (2.5)	4.25 (108)	27.43 (697)	4.88 (124)	28.15 (715)	82.48 (2095)	2.50, 2.15 - 3.00	19E
90 / 90 - 19 M/C 52H TL	K65	441 (200)	130 (210)	36 (2.5)	3.54 (90)	25.39 (645)	3.90 (99)	25.87 (657)	76.69 (1948)	2.15, 1.85 - 2.50	19D
100 / 90 - 19 M/C 57H TL	K65, K76	507 (230)	130 (210)	36 (2.5)	3.98 (101)	26.10 (663)	4.37 (111)	26.57 (675)	78.82 (2002)	2.50, 2.15 - 2.75	19D
110 / 90 - 19 M/C 62H TL	K65	584 (265)	130 (210)	36 (2.5)	4.29 (109)	26.81 (681)	4.72 (120)	26.97 (685)	80.98 (2057)	2.50, 2.15 - 3.00	19E
110 / 80 B 19 59H TL	K76	536 (243)	130 (210)	36 (2.5)	4.29 (109)	25.94 (659)	4.72 (120)	26.42 (671)	78.35 (1990)	2.50, 2.15 - 3.00	19D
21 IN. STREET TIRES											
80 / 90 - 21 M/C 48H TL	K65	397 (180)	130 (210)	36 (2.5)	3.15 (80)	26.65 (677)	3.46 (88)	27.05 (687)	80.47 (2043)	1.85, 1.60 - 2.15	21C
MH 90 - 21 54H TL	K65	467 (212)	130 (210)	36 (2.5)	3.15 (80)	27.01 (686)	3.50 (89)	27.56 (700)	81.57 (2072)	1.85, 1.60 - 2.15	21C
90 / 90 - 21 M/C 54H TL	K68, K76	467 (212)	130 (210)	36 (2.5)	3.54 (90)	27.36 (695)	3.90 (99)	27.83 (707)	82.64 (2099)	2.15, 1.85 - 2.50	21D
ENDURO TIRES 16 IN. ENDURO TIRES											
2.50 / 2.75 - 16 M/C 46M TT REINF.	K52	375 (170)	81 (130)	36 (2.5)	2.95 (75)	22.13 (562)	3.39 (86)	22.83 (580)	66.73 (1695)	1.60, 1.50 - 1.85	16C / D
2.75 - 16 M/C 46M TT REINF.	K32, K42, K46	375 (170)	81 (130)	41 (2.8)	2.95 (75)	22.13 (562)	3.39 (86)	22.83 (580)	66.73 (1695)	1.60, 1.50 - 1.85	16D
3.25 - 16 M/C 55P REINF.	K41	481 (281)	82 (130)	41 (2.8)	3.50 (89)	23.15 (588)	4.02 (102)	24.02 (610)	69.80 (1773)	2.15, 1.85 - 2.50	16D / E
17 IN. ENDURO TIRES											
2.75 - 17 M/C 47M TT REINF.	K46	386 (175)	81 (130)	41 (2.8)	2.95 (75)	23.15 (588)	3.39 (86)	23.86 (606)	69.80 (1773)	1.85, 1.50 - 1.85	17D
4.60 - 17 68T TT REINF.	K60	694 (315)	118 (190)	41 (2.8)	4.61 (117)	24.80 (630)	5.35 (136)	25.75 (654)	77.05 (1957)	2.75, 2.15 - 3.00	17F

SPECIFICATION SHEET | 2018



TIRE SIZE, LOAD / SPEED, TUBETYPE	PROFILE	MAX LOAD LBS (KG)	SPEED RATING MPH (KM /H)	MAX AIR PRES-SURE LBS (BAR)	MIN. WIDTH INCH (MM)	MIN. DIAM. INCH (MM)	MAX. WIDTH. INCH (MM)	MAX. DIAM. INCH (MM)	CIRCUMFERENCE + / - 2% INCHES (MM)	RIM WIDTH, AND PERMISSIBLE RIM WIDTHS IN INCHES	TUBE SIZE
ENDURO TIRES 17 IN. ENDOURO TIRES											
5.10 - 17 69TT REINF.	K60	716 (325)	118 (190)	41 (2.8)	5.08 (129)	25.63 (651)	5.91 (150)	26.65 (677)	76.10 (1933)	3.00, 2.50 - 3.50	17F
120/90 - 17 M/C 64T TT REINF.	K60 SCOUT	617 (280)	119 (190)	36 (2.5)	4.69 (119)	25.51 (648)	5.16 (131)	26.46 (672)	77.05 (1957)	2.75, 2.50 - 3.00	17F
120/90 - 17 M/C 68T TT REINF.	K74	694 (315)	118 (190)	41 (2.8)	4.69 (119)	25.51 (648)	5.16 (131)	26.46 (672)	77.05 (1957)	2.75, 2.50 - 3.00	17F
130/80 - 17 M/C 65TT/TL	K60 SCOUT, K74	639 (290)	118 (190)	41 (2.8)	5.08 (129)	25.20 (640)	5.59 (142)	26.14 (664)	76.10 (1933)	3.00, 2.50 - 3.50	17F
140/80 - 17 M/C 69T TL	K60 SCOUT	716 (325)	118 (190)	44 (3.0)	5.59 (142)	25.83 (656)	6.14 (156)	26.46 (672)	77.99 (1981)	3.50, 2.75 - 3.75	17F
150 / 70 B 17 M/C 69TTL	K60 SCOUT	716 (325)	118 (190)	44 (3.0)	5.94 (151)	25.28 (642)	6.54 (166)	25.83 (656)	76.34 (1939)	4.25, 3.50 - 4.50	17F
170 / 60 B 17 M/C 72TTL	K60 SCOUT	782 (355)	118 (190)	44 (3.0)	6.61 (168)	25.04 (636)	7.28 (185)	25.59 (650)	75.63 (1921)	4.50, 4.00 - 5.50	17F
18 IN. ENDOURO TIES											
3.00 - 18 M/C 52P TT REINF.	K41	441 (200)	93 (150)	41 (2.8)	3.15 (80)	24.68 (627)	3.62 (92)	25.47 (647)	78.11 (1984)	1.85, 1.60 - 2.15	18D
3.25 - 18 M/C 59P TT REINF.	K37	536 (243)	93 (150)	41 (2.8)	3.50 (89)	25.16 (639)	4.02 (102)	26.02 (661)	75.87 (1927)	2.15, 1.85 - 2.50	18D / E
3.50 - 18 M/C 62P TT REINF.	K37	584 (265)	93 (150)	41 (2.8)	3.66 (93)	25.55 (649)	4.21 (107)	26.50 (673)	77.05 (1957)	2.15, 1.85 - 2.50	18D / E
4.00 - 18 M/C 64TT	K60 SCOUT, K67	617 (280)	118 (190)	36 (2.5)	4.25 (108)	26.42 (671)	4.88 (124)	27.43 (697)	79.69 (2024)	2.50, 2.15 - 3.00	18F
4.10 - 18 M/C 60S	K60	551 (250)	112 (180)	36 (2.5)	4.25 (108)	25.16 (639)	5.00 (127)	25.75 (654)	76.10 (1933)	2.50, 2.15 - 3.00	18E
110 / 100 - 18 M/C 64S TT	K69	617 (280)	112 (180)	36 (2.5)	4.29 (109)	26.65 (677)	4.72 (120)	27.68 (703)	80.51 (2045)	2.50, 2.15 - 3.00	18F
90 / 90 - 18 M/C 51S TT	K60	430 (195)	112 (180)	36 (2.5)	3.54 (90)	24.37 (619)	3.90 (99)	25.16 (639)	73.58 (1869)	2.15, 1.85 - 2.50	18C / D
120 / 90 - 18 M/C 71TT REINF.	K60	639 (290)	118 (190)	36 (2.5)	4.69 (119)	26.50 (673)	5.16 (131)	27.52 (699)	80 (2032)	2.75, 2.50 - 3.00	18F
120 / 90 - 18 M/C 65S TT	K74	639 (290)	112 (180)	36 (2.5)	4.69 (119)	26.50 (673)	5.16 (131)	27.52 (699)	80 (2032)	2.75, 2.50 - 3.00	18F
110 / 80 - 18 M/C 58S TT	K60	520 (236)	112 (180)	36 (2.5)	4.29 (109)	24.92 (633)	4.72 (120)	25.71 (653)	75.28 (1912)	2.50, 2.15 - 3.00	18E
120 / 80 - 18 M/C 62T TT	K60	584 (265)	118 (190)	36 (2.5)	4.69 (119)	25.55 (649)	5.16 (131)	26.42 (671)	77.17 (1960)	2.75, 2.50 - 3.00	18F
130 / 80 - 18 M/C 72TTT REINF.	K60	661 (355)	118 (190)	36 (2.5)	5.08 (129)	26.18 (665)	5.59 (142)	27.13 (689)	79.05 (2008)	3.00, 2.50 - 3.50	18F
130 / 80 - 18 M/C 66S TT	K74	783 (600)	112 (180)	36 (2.5)	5.08 (129)	26.18 (665)	5.59 (142)	27.13 (689)	79.05 (2008)	3.00, 2.50 - 3.50	18F
140 / 80 - 18 M/C 70S TT	K60 SCOUT	736 (335)	112 (180)	36 (2.5)	5.59 (142)	26.81 (681)	6.14 (156)	27.43 (697)	80.98 (2057)	3.50, 2.75 - 3.75	18F
140 / 80 - 18 M/C 70R TT	K74	736 (335)	106 (170)	36 (2.5)	5.59 (142)	26.81 (681)	6.14 (156)	27.43 (697)	80.98 (2057)	3.50, 2.75 - 3.75	18F
150 / 70 B 18 M/C 70T TL	K60 SCOUT	736 (335)	118 (190)	43 (3.0)	5.94 (151)	26.26 (667)	6.54 (166)	26.81 (681)	79.29 (2014)	4.25, 3.50 - 4.50	18F
19 IN. ENDOURO TIRES											
2.50 - 19 M/C 41M TT	K46	320 (145)	81 (130)	36 (2.5)	2.52 (64)	24.37 (619)	2.91 (74)	25.00 (635)	73.50 (1867)	1.50, 1.35 - 1.60	19C
3.25 - 19 M/C 54TTT	K67	467 (212)	118 (190)	36 (2.5)	3.50 (89)	26.18 (665)	3.78 (96)	26.65 (677)	78.98 (2006)	2.15, 1.85 - 2.50	19E
3.50 - 19 M/C 57TTT	K67	507 (230)	118 (190)	36 (2.5)	3.66 (93)	26.57 (675)	3.94 (100)	27.13 (689)	82.28 (2039)	2.15, 1.85 - 2.50	19E
4.00 - 19 M/C 71P TT	K37	761 (345)	93 (150)	41 (2.8)	4.25 (108)	27.43 (697)	4.88 (124)	28.15 (715)	82.87 (2105)	2.50, 2.15 - 2.75	19E
100 / 90 - 19 M/C 57H TL	K60	507 (230)	130 (210)	36 (2.5)	3.98 (101)	26.10 (663)	4.37 (111)	26.89 (683)	78.82 (2002)	2.50, 2.15 - 3.00	19D
110 / 90 - 19 M/C 62S TT	K69	584 (265)	112 (180)	36 (2.5)	4.29 (109)	26.81 (681)	4.72 (120)	27.76 (705)	80.98 (2057)	2.50, 2.15 - 3.00	19E
110 / 80 B 19 M/C 59TTL	K60 SCOUT	536 (243)	118 (190)	36 (2.5)	4.29 (109)	25.94 (659)	4.72 (120)	26.42 (671)	78.35 (1990)	2.50, 2.15 - 3.00	19D
120 / 70 B 19 M/C 60TTL	K60 SCOUT	551 (250)	118 (190)	44 (3.0)	4.80 (122)	25.63 (651)	5.16 (131)	26.10 (663)	77.40 (1966)	3.50, 2.50 - 3.75	19D
21 IN. ENDOURO TIRES											
2.50 - 21 M/C 48P TT REINF.	K60	397 (180)	93 (150)	29 (2.0)	2.52 (64)	26.34 (669)	2.91 (74)	26.97 (685)	79.45 (2018)	1.50, 1.35 - 1.60	21C
2.75 - 21 M/C 45P TT	K60, K67	364 (165)	93 (150)	36 (2.5)	2.95 (75)	27.13 (689)	3.39 (86)	27.83 (707)	81.81 (2078)	1.85, 1.50 - 1.85	21C
3.00 - 21 M/C 51TTT	K60, K67	430 (195)	118 (190)	36 (2.5)	3.15 (80)	27.68 (703)	3.62 (92)	28.46 (723)	83.50 (2121)	1.85, 1.60 - 1.85	21D
80 / 100 - 21 M/C 51S TT	K60, K69, K79	430 (195)	112 (180)	36 (2.5)	3.15 (80)	27.28 (693)	3.46 (88)	28.07 (713)	82.40 (2093)	1.85, 1.60 - 2.15	21D
80 / 90 - 21 M/C 48P TT	K60	397 (180)	93 (150)	36 (2.5)	3.15 (80)	26.65 (677)	3.46 (88)	27.36 (695)	80.43 (2043)	1.85, 1.60 - 2.15	21C
90 / 90 - 21 M/C 54T TL	K60 SCOUT	467 (212)	130 (209)	47 (2.25)	3.54 (90)	27.36 (695)	3.90 (99)	28.07 (713)	82.64 (2099)	2.15, 1.85 - 2.50	21D
90 / 90 - 21 M/C 54T TT	K60	467 (212)	130 (209)	47 (2.25)	3.54 (90)	27.36 (695)	3.90 (99)	28.07 (713)	82.64 (2099)	2.15, 1.85 - 2.50	21D
90 / 90 - 21 M/C 54S TT	K69, K79	467 (212)	112 (180)	47 (3.25)	3.54 (90)	27.36 (695)	3.90 (99)	28.07 (713)	82.64 (2099)	2.15, 1.85 - 2.50	21D

SPECIFICATION SHEET | 2018



TIRE SIZE, LOAD / SPEED, TUBETYPE	PROFILE	MAX LOAD LBS (KG)	SPEED RATING MPH (KM / H)	MAX AIR PRES- SURE LBS (BAR)	MIN. WIDTH INCH (MM)	MIN. DIAM. INCH (MM)	MAX. WIDTH. INCH (MM)	MAX. DIAM. INCH (MM)	CIRCUMFERENCE + / - 2% INCHES (MM)	RIM WIDTH, AND PERMISSIBLE RIM WIDTHS IN INCHES	TUBE SIZE
SCOOTER TIRES 4 TO 11 IN. SCOOTER TIRES											
3.00 - 4 35B TT	MSC1	267 (121)	31 (50)	29 (2.0)	3.15 (80)	9.88 (251)	3.39 (86)	10.39 (264)	29.45 (748)	2.10, 1.85 - 2.75	3.00 - 4MSC1
3.50 - 8 46M TT	K75	375 (170)	81 (130)	36 (2.5)	3.62 (92)	15.20 (386)	3.90 (99)	15.63 (397)	45.51 (1156)	2.50, 2.15 - 3.00	8E / F
4.00 - 8 55M TT	K75	481 (218)	81 (130)	36 (2.5)	4.13 (105)	16.34 (415)	4.45 (113)	16.81 (427)	48.86 (1241)	2.50, 2.15 - 3.50	8E / F
110 / 80 - 8 54N TL	K75	467 (212)	87 (140)	36 (2.5)	4.29 (109)	14.88 V(378)	4.69 (119)	15.16 (385)	43.49 (1130)	2.50, 2.15 - 3.00	8E / F
120 / 70 - 8 46N TT	K75	375 (170)	87 (140)	36 (2.5)	4.80 (122)	14.61 (371)	5.20 (132)	15.28 (388)	43.66 (1109)	3.50, 2.75 - 3.75	8E / F
3.00 - 10 50J TT / TL REINF.	K38, K50, K58	419 (190)	62 (100)	47 (2.25)	3.15 (80)	16.26 (413)	3.39 (86)	16.61 (422)	48.62 (1235)	2.15, 1.85 - 2.50	10D
3.00 - 10 50M TL REINF.	K80	419 (190)	81 (130)	47 (3.25)	3.15 (80)	16.26 (413)	3.39 (86)	16.61 (422)	48.62 (1235)	2.15, 1.85 - 2.50	11D
3.50 - 10 59M TL REINF.	K38, K47, K61, K58, K80	536 (243)	81 (130)	47 (3.25)	3.62 (92)	17.20 (437)	3.90 (99)	17.64 (448)	51.46 (1307)	2.15, 2.10 - 2.50	10D / E
90 / 100 - 10 53M TL	K58, K61	454 (206)	81 (130)	36 (2.5)	3.54 (90)	17.09 (434)	3.82 (97)	17.56 (446)	51.10 (1298)	2.10, 1.85 - 2.50	10D
90 / 90 - 10 50J TL	K47, K58, K61	419 (190)	62 (100)	36 (2.5)	3.54 (90)	16.38 (416)	3.82 (97)	16.85 (428)	48.98 (1244)	2.15, 1.85 - 2.50	10D
90 / 90 - 10 50M TL	K80	419 (190)	81 (130)	36 (2.5)	3.54 (90)	16.38 (416)	3.82 (97)	16.85 (428)	48.98 (1244)	2.15, 1.85 - 2.50	10D
100 / 90 - 10 61J TL REINF.	K58	567 (257)	62 (100)	44 (3.0)	3.98 (101)	17.09 (434)	4.29 (109)	17.48 (444)	51.10 (1298)	2.50, 2.15 - 2.75	10D
100 / 90 - 10 61M TL REINF.	K61, K80	567 (257)	81 (130)	44 (3.0)	3.98 (101)	17.09 (434)	4.29 (109)	17.48 (444)	51.10 (1298)	2.50, 2.15 - 2.75	10D
110 / 90 - 10 66J TL REINF.	K58	661 (300)	62 (100)	44 (3.0)	4.29 (109)	17.80 (452)	4.65 (118)	18.27 (464)	53.15 (1350)	2.50, 2.15 - 2.75	10D
120 / 90 - 10 66M TL	K59, K61, K77, K80	661 (300)	81 (130)	36 (2.5)	4.69 (119)	18.50 (470)	5.08 (129)	19.13 (486)	55.31 (1405)	2.75, 2.50 - 3.00	10D
130 / 90 - 10 61J TL REINF.	K59, K61, K77	567 (257)	62 (100)	36 (2.5)	5.08 (129)	19.21 (488)	5.47 (139)	19.84 (504)	57.44 (1459)	2.50, 2.50 - 3.50	10D
100 / 80 - 10 58J TL REINF.	K48, K58, K61	520 (236)	62 (100)	44 (3.0)	3.98 (101)	16.30 (414)	4.29 (109)	16.77 (426)	48.74 (1238)	2.50, 2.15 - 2.75	10D
100 / 80 - 10 58M TL	K80	520 (236)	81 (130)	44 (3.0)	3.98 (101)	16.30 (414)	4.29 (109)	16.77 (426)	48.74 (1238)	2.50, 2.15 - 2.75	10D
110 / 80 - 10 63M TL REINF.	K58, K61	600 (272)	81 (130)	43 (3.0)	4.29 (109)	16.93 (430)	4.65 (118)	17.40 (442)	50.63 (1286)	2.50, 2.15 - 3.00	10D
120 / 70 - 10 54M TL REINF.	K61, K62	467 (212)	81 (130)	41 (2.8)	4.80 (122)	16.61 (422)	5.20 (132)	17.09 (434)	49.68 (1262)	3.50, 2.75 - 3.75	10D
130 / 70 - 10 62M TL REINF.	K61, K62	584 (265)	81 (130)	41 (2.8)	5.08 (129)	17.17 (436)	5.47 (139)	17.64 (448)	51.22 (1301)	3.50, 3.00 - 3.75	10D
110 / 70 - 11 45M TL	K58, K61	364 (165)	81 (130)	36 (2.5)	4.33 (110)	17.05 (433)	4.69 (119)	17.52 (445)	51.46 (1307)	3.00, 2.50 - 3.50	11D
120 / 70 - 11 50M TL	K58, K61	419 (190)	81 (130)	33 (2.3)	4.80 (122)	17.60 (447)	5.20 (132)	18.07 (459)	52.56 (1335)	3.50, 2.75 - 3.75	11D
130 / 70 - 11 60M TL REINF.	K61, K62	551 (250)	81 (130)	41 (2.8)	5.08 (129)	18.15 (461)	5.47 (139)	18.62 (473)	54.25 (1378)	3.50, 3.00 - 4.00	11D
12 IN. SCOOTER TIRES											
3.00 - 12 47J TT	K38, K57, K61	386 (175)	62 (100)	36 (2.5)	3.15 (80)	18.27 (464)	3.39 (86)	18.62 (473)	54.57 (1386)	2.10, 1.85 - 2.50	12C / D
3.50 - 12 56M TT	K3	494 (224)	81 (130)	36 (2.5)	3.62 (92)	19.21 (488)	3.90 (99)	19.92 (506)	57.44 (1459)	2.50, 2.10 - 2.50	12D
90 / 90 - 12 54M TL	K58, K80	467 (212)	81 (130)	36 (2.5)	3.54 (90)	18.39 (467)	3.82 (97)	18.86 (479)	54.96 (1396)	2.15, 1.85 - 2.50	12C / D
100 / 90 - 12 64M TL REINF.	K80	617 (280)	81 (130)	41 (2.8)	3.98 (101)	19.09 (485)	4.29 (109)	19.57 (497)	57.09 (1450)	2.50, 2.15 - 2.75	12C / D
110 / 100 - 12 67M TL	K58, K61	677 (307)	81 (130)	36 (2.5)	4.29 (109)	20.67 (525)	4.65 (118)	21.30 (541)	61.81 (1570)	2.50, 2.15 - 3.00	12C / D
110 / 90 - 12 64M TL	K58, K61	617 (280)	81 (130)	36 (2.5)	4.29 (109)	19.80 (503)	4.65 (118)	20.35 (517)	59.21 (1504)	2.50, 2.15 - 2.75	12C / D
120 / 80 - 12 65M TL	K58, K61, K80	639 (290)	81 (130)	36 (2.5)	4.69 (119)	19.57 (497)	5.08 (129)	20.12 (511)	58.50 (1486)	2.75, 2.50 - 3.00	12C / D
130 / 80 - 12 69M TL	K61, K62	716 (325)	81 (130)	36 (2.5)	5.08 (129)	20.20 (513)	5.47 (139)	20.75 (527)	60.39 (1534)	3.00, 2.50 - 3.50	12C / D
110 / 70 - 12 56M TL	K58, K61, K80	494 (224)	81 (130)	36 (2.5)	4.29 (109)	18.07 (459)	4.65 (118)	18.66 (474)	54.02 (1372)	2.50, 2.50 - 3.00	12C / D
120 / 70 - 12 58S TL REINF.	K58, K61, K66/LT, K80	520 (236)	112 (180)	41 (2.8)	4.80 (122)	18.62 (473)	5.20 (132)	19.09 (485)	55.67 (1414)	3.50, 2.75 - 3.75	12C / D
130 / 70 - 12 62P TL REINF.	K58, K61, K66/LT, K80	584 (265)	93 (150)	41 (2.8)	5.08 (129)	19.17 (487)	5.47 (139)	19.65 (499)	57.32 (1456)	3.50, 3.00 - 4.00	12C / D
140 / 70 - 12 65P TL REINF.	K58, K61, K80	584 (265)	93 (150)	41 (2.8)	5.55 (141)	19.72 (501)	5.98 (152)	20.28 (515)	58.98 (1498)	4.00, 3.50 - 4.50	12C / D
140 / 60 - 12 62M TL REINF.	K61, K62	585 (265)	81 (130)	41 (2.8)	5.55 (141)	18.62 (473)	5.98 (152)	19.09 (485)	55.67 (1414)	4.00, 3.50 - 4.50	12C / D
13 IN. SCOOTER TIRES											
110 / 90 - 13 M/C 56Q TL	K58, K64	494 (224)	99 (160)	36 (2.5)	4.29 (109)	20.79 (528)	4.72 (120)	21.34 (542)	62.80 (1595)	2.50, 2.15 - 3.00	13D
120 / 70 - 13 M/C 53P TL	K61, K62, K80	454 (206)	93 (150)	36 (2.5)	4.80 (122)	19.61 (498)	5.28 (134)	20.08 (510)	59.21 (1504)	3.50, 2.75 - 3.75	13D
130 / 70 - 13 M/C 63Q TL REINF.	K62, K64	600 (272)	99 (160)	41 (2.8)	5.08 (129)	20.16 (512)	5.59 (142)	20.63 (524)	60.87 (1546)	3.50, 3.00 - 4.00	13D
150 / 70 - 13 M/C 64S TL	K66	617 (280)	112 (180)	36 (2.5)	5.94 (151)	21.26 (540)	6.54 (166)	21.81 (554)	64.17 (1630)	4.25, 3.50 - 4.50	13D
130 / 60 - 13 M/C 60P TL REINF.	K61, K62, K72, K80	551 (250)	93 (150)	41 (2.8)	5.08 (129)	19.13 (486)	5.59 (142)	19.53 (496)	57.80 (1468)	3.50, 3.00 - 4.00	13D

SPECIFICATION SHEET | 2018



TIRE SIZE, LOAD / SPEED, TUBE TYPE	PROFILE	MAX LOAD LBS (KG)	SPEED RATING MPH (KM / H)	MAX AIR PRES-SURE LBS (BAR)	MIN. WIDTH INCH (MM)	MIN. DIAM. INCH (MM)	MAX. WIDTH. INCH (MM)	MAX. DIAM. INCH (MM)	CIRCUMFERENCE + / - 2% INCHES (MM)	RIM WIDTH, AND PERMISSIBLE RIM WIDTHS IN INCHES	TUBE SIZE
SCOOTER TIRES 13 IN. SCOOTER TIRES											
140 / 60 - 13 M/C 63P TL REINF.	K61, K62, K80	600 (272)	93 (150)	41 (2.8)	5.55 (141)	19.61 (498)	6.10 (155)	20.08 (510)	59.21 (1504)	4.00, 3.50 - 4.50	13D
14 TO 15 IN. SCOOTER TIRES											
80 / 90 - 14 M/C 46P TL REINF.	K66, K81	375 (170)	93 (150)	40 (2.8)	3.15 (80)	19.69 (500)	3.46 (88)	20.08 (510)	59.45 (1510)	1.85, 1.60 - 2.15	14C
90 / 90 - 14 M/C 46P TT/TL	K66, K81	375 (170)	93 (150)	36 (2.5)	3.54 (90)	20.39 (518)	3.90 (99)	20.79 (528)	61.57 (1564)	2.15, 1.85 - 2.50	14C
100 / 90 - 14 M/C 57P TL REINF.	K66, K81	507 (230)	93 (150)	41 (2.8)	3.98 (101)	21.10 (536)	4.37 (111)	21.57 (548)	63.74 (1619)	2.50, 2.15 - 2.75	14C
80 / 80 - 14 M/C 43J TT/TL REINF.	K42, K66	342 (155)	62 (100)	41 (2.8)	3.15 (80)	19.06 (484)	3.46 (88)	19.37 (492)	57.56 (1462)	1.85, 1.60 - 2.15	14C
110 / 80 - 14 M/C 59P TL REINF.	K63, K66	536 (243)	93 (150)	41 (2.8)	4.29 (109)	20.94 (532)	4.72 (120)	21.42 (544)	62.64 (1591)	2.50, 2.15 - 3.00	14C
120 / 80 - 14 M/C 58S TL	K66, K72	520 (236)	112 (180)	36 (2.5)	4.65 (118)	21.57 (548)	5.16 (131)	22.13 (562)	64.57 (1640)	2.75, 2.50 - 3.00	14C
100 / 70 - 14 M/C 50J TL REINF.	K66	419 (190)	62 (100)	40 (2.8)	3.94 (100)	19.53 (496)	4.33 (110)	19.92 (506)	58.94 (1497)	2.75, 2.50 - 3.00	14C
120 / 70 - 14 M/C 55S TL	K63, K66	481 (218)	112 (180)	36 (2.5)	4.80 (122)	20.63 (524)	5.28 (134)	21.10 (536)	62.28 (1582)	3.50, 2.75 - 3.75	14C
140 / 70 - 14 M/C 62S TL	K64, K66	584 (265)	112 (180)	36 (2.5)	5.47 (139)	21.73 (552)	6.02 (153)	22.28 (566)	65.63 (1667)	3.50, 3.50 - 4.50	14C
150 / 70 - 14 M/C 66S TL	K64, K66	661 (300)	112 (180)	36 (2.5)	5.87 (149)	22.28 (566)	6.46 (164)	22.83 (580)	67.28 (1709)	4.00, 3.50 - 4.50	14C
140 / 60 - 14 M/C 64S TL REINF.	K64, K66	617 (280)	112 (180)	40 (2.8)	5.47 (139)	20.63 (524)	6.02 (153)	21.10 (536)	62.28 (1582)	3.75, 3.50 - 4.50	14C
160 / 60 - 14 M/C 65H TL	K66, K81	639 (290)	130 (209)	36 (2.5)	6.34 (161)	21.57 (548)	6.77 (172)	22.13 (562)	65.16 (1655)	4.50	14C
120 / 70 - 15 M/C 56H TL	K66, K81	494 (224)	130 (209)	36 (2.5)	4.80 (122)	21.61 (549)	5.28 (134)	22.09 (561)	65.28 (1658)	3.50, 2.75 - 3.75	15C
130 / 80 - 15 M/C 63P TL	K66	600 (272)	84 (130)	36 (2.5)	5.08 (129)	23.19 (589)	5.59 (142)	23.74 (603)	70.04 (1779)	3.00, 2.50 - 3.50	15C
16 TO 17 IN. SCOOTER TIRES											
70 / 90 - 16 M/C 42J TL REINF.	K66	331 (150)	62 (100)	40 (2.8)	2.72 (69)	20.94 (532)	2.99 (76)	21.26 (540)	63.27 (1607)	1.60, 1.40 - 1.85	16C
80 / 80 - 16 M/C 46J TL REINF.	K63, K66, K82	375 (170)	62 (100)	40 (2.8)	3.15 (80)	21.02 (534)	3.46 (88)	21.34 (542)	63.70 (1618)	1.85, 1.60 - 2.15	16C
90 / 80 - 16 M/C 52J TL REINF.	K63, K66, K72	441 (200)	62 (100)	40 (2.8)	3.54 (90)	21.65 (550)	3.90 (99)	22.05 (560)	65.39 (1661)	2.15, 1.85 - 2.50	16C
100 / 80 - 16 M/C 56P TL	K63, K66	494 (224)	93 (150)	36 (2.5)	3.98 (101)	22.28 (566)	4.37 (111)	22.76 (578)	67.28 (1709)	2.50, 2.15 - 2.75	16C
120 / 80 - 16 M/C 60S TL	K66, K72	551 (250)	112 (180)	36 (2.5)	4.69 (119)	23.54 (598)	5.16 (131)	24.09 (612)	71.10 (1806)	2.75, 2.50 - 3.00	16C
130 / 80 - 16 M/C 64P TL	K66	617 (280)	93 (149)	36 (2.5)	5.08 (129)	24.17 (614)	5.59 (142)	24.72 (628)	72.99 (1854)	3.00, 2.50 - 3.50	16C
100 / 70 - 16 M/C 52J TL	K66, K72	441 (200)	62 (100)	36 (2.5)	3.94 (100)	21.50 (546)	4.33 (110)	21.89 (556)	64.92 (1649)	2.75, 2.50 - 3.00	16C
110 / 70 - 16 M/C 52S TL	K66, K72	441 (200)	112 (180)	36 (2.5)	4.33 (110)	22.05 (560)	4.76 (121)	22.44 (570)	66.57 (1691)	3.00, 2.50 - 3.50	16C
130 / 70 - 16 M/C 61S TL	K66	557 (257)	112 (180)	36 (2.5)	5.08 (129)	23.15 (588)	5.59 (142)	23.62 (600)	69.92 (1776)	3.50, 3.00 - 4.00	16C
140 / 70 - 16 M/C 65S TL	K66, K72	639 (290)	112 (180)	36 (2.5)	5.47 (139)	23.70 (602)	6.02 (153)	24.25 (616)	71.57 (1818)	3.75, 3.50 - 4.50	16C
MOPED TIRES 16 TO 19 IN. MOPED TIRES											
2 1/4 - 16 26B TT	M4, M3	209 (95)	31 (50)	36 (2.5)	2.44 (62)	20.94 (532)	2.60 (66)	21.26 (540)	63.15 (1604)	1.50, 1.20 - 1.60	16C
2 1/2 - 16 31B TT	K30	240 (109)	31 (50)	36 (2.5)	2.68 (68)	21.57 (548)	2.83 (72)	21.97 (558)	65.08 (1683)	1.60, 1.50 - 1.85	16C
2 3/4 - 16 36B TT	K46	275 (125)	31 (50)	36 (2.5)	2.95 (75)	21.97 (558)	3.15 (80)	22.36 (568)	66.26 (1683)	1.85, 1.50 - 1.85	16C
2 3/4 - 16 46J TT	K30	275 (125)	62 (100)	36 (2.5)	2.95 (75)	21.97 (558)	3.15 (80)	22.36 (568)	66.26 (1683)	1.85, 1.50 - 1.85	16C
2 3/4 - 16 46J, TT REINF.	K36 / 1, K55	375 (170)	62 (100)	41 (2.8)	2.95 (75)	21.97 (558)	3.15 (80)	22.36 (568)	66.26 (1683)	1.85, 1.50 - 1.85	16C
2 1/4 - 17 28B TT	M3, M4	220 (100)	31 (50)	36 (2.5)	2.44 (62)	21.97 (558)	2.60 (66)	22.28 (566)	66.26 (1683)	1.50, 1.20 - 1.60	17C
2.50-17 (2½-17) 33B TT	K56, K36 / 1	254 (115)	31 (50)	36 (2.5)	2.68 (68)	22.60 (574)	2.83 (72)	22.99 (584)	68.15 (1731)	1.60, 1.50 - 1.85	17C
2.50-17 (2½-17) 33J TT	K56, K36 / 1	254 (115)	62 (100)	36 (2.5)	2.68 (68)	22.60 (574)	2.83 (72)	22.99 (584)	68.15 (1731)	1.60, 1.50 - 1.85	17C
2.75-17 (2¾-17) 38B TT	K36 / 1	288 (132)	31 (50)	36 (2.5)	2.95 (75)	22.99 (584)	3.15 (80)	23.39 (594)	69.33 (1761)	1.85, 1.50 - 1.85	17C / D
2.75-17 (2¾-17) 47J TT REINF.	K36 / 1, K58	385 (175)	62 (100)	41 (2.8)	2.95 (75)	22.99 (584)	3.15 (80)	23.39 (594)	69.33 (1761)	1.85, 1.50 - 1.85	17C / D
2.75-17 (2¾-17) 47J TT REINF.	M3	234 (106)	62 (100)	41 (2.8)	2.36 (60)	22.64 (575)	2.60 (66)	22.95 (583)	68.03 (1728)	1.50, 1.20 - 1.60	18C
2 1/4 - 19 (23 x 2.25) 32S TT	M3	247 (112)	112 (180)	36 (2.5)	2.44 (62)	23.98 (609)	2.60 (66)	24.29 (617)	72.40 (1839)	1.50, 1.20 - 1.60	19C